



## CONVERSION DE GRAMOS A MILILITROS

### RELACION DE MEZCLA 100 : 33 : 50



REGLA # 25



100



33



50

TOTAL MEZCLA ML	AUTOCLEAR III →		HARDENER XP →		ACTIVADOR	
	GRS.	ML	GRS.	ML	GRS.	ML
18	10.2	10	3.0	3	4.5	5
36	20.3	20	6.1	6	9.0	10
54	30.5	30	9.1	9	13.5	15
72	40.6	40	12.2	12	18.0	20
90	50.8	50	15.2	15	22.5	25
108	61.0	60	18.3	18	27.0	30
126	71.1	70	21.3	21	31.5	35
144	81.3	80	24.4	24	36.0	40
162	91.4	90	27.4	27	40.5	45
180	101.6	100	30.5	30	45.0	50
271	152.4	150	46.7	46	67.4	75
361	203.2	200	62.0	61	89.9	100
451	254.0	250	77.2	76	112.4	125
541	304.8	300	92.5	91	134.9	150
631	355.6	350	107.7	106	157.3	175
721	355.4	400	122.9	121	179.8	200
811	456.2	450	138.2	136	202.3	225
902	507.0	500	154.4	152	224.7	250

**Nota:** Sera importante la exactitud de peso en cada uno de los componentes  
 Recuerde mezclar al adicionar cada producto

Transparente + Hardener



+ Activador

